

## POLYTITE



# P175 & P175T OVERHEAD SECTIONAL POLYCARBONATE DOOR

- Panels made with 5/8" (16mm) thick, triple-walled polycarbonate sheet are lightweight, providing easy operation with minimum stress on hardware components.
- Translucent polycarbonate panels provide a naturally-lit, inviting work environment and help reduce winter heating costs through the effects of solar heat gain.
- Polytite doors are extremely impact-resistant and can withstand long-term exposure to extreme elements such as sun, wind, rain and snow without cracking or splitting.
- Particularly suited for service garages but ideal for all types of industrial, agricultural, commercial, institutional and residential overhead door installations where an attractive, light-transmitting, strong, lightweight door is desired.
- P175T comes standard with insulated Thermatite panel section fabricated from pre-painted, hot dipped galvanized steel sheets with rigid polyurethane insulation core, face sheet stucco embossed and rib reinforced.

### PRODUCT SPECIFICATIONS



## SECTION & STILE SCHEDULE

DOOR OPENING HEIGHT	Sections High	DOOR WIDTH	# of Stiles
7'-1" to 8'-1" (2159mm to 2464mm)	4	Up to 9'-2" (2794mm)	1
8'-2" to 10'-1" (2489mm to 3073mm)	5	9'-3" to 12'-2" (2819mm to 3708mm)	2
10'-2" to 12'-1" (3099mm to 3683mm)	6	12'-3" to 16'-2" (3734mm to 4928mm)	3
12'-2" to 14'-1" (3708mm to 4293mm)	7	16'-3" to 19'-2" (4953mm to 5842mm)	4
14'-2" to 16'-1" (4318mm to 4902mm)	8	19'-3" to 24'-2" (5867mm to 7366mm)	5
16'-2" to 18'-1" (4928mm to 5512mm)	9		

#### WARRANTY

Polytite Panels: 10 years against breakage, excessive yellowing and

loss of light transmission

Materials and workmanship: 1 year

#### **SECTION DETAILS**

#### **SECTION THICKNESS**

P175 / P175T 1 3/4" (45mm)

#### POLYCARBONATE PANELING

The external side of the Polycarbonate is protected with a coextruded layer warranting resistance to atmospheric agents and U.V. rays.

Thickness: 5/8" (16mm) Structure: Triple-walled

Weight: 0.553lbs/sq ft (2.69 kg/sq m)

R-Factor: 2.500 ft2 hF/Btu **U-Factor:** 2.271 W/m<sup>2</sup>K

ASTM E84-01 Flame spread and smoke Fire Reaction:

Developed: Class A.

Solar Heat Gain Coefficient: Clear: 75% **Light Transmission:** Clear: 74%

#### STILES AND RAILS

Fabricated from 6063-T6 aluminum alloy extrusions, extrusion thickness 0.063" (1.6mm) thick, and 0.090" (2.18mm) thick at hardware mounting locations.

**End Stiles:** 2 1/2" (64mm) wide aluminum;

Double end stiles for doors 16'-3" (4953 mm) wide

3" (76mm) wide aluminum Centre Stiles: 4 1/2" (114mm) high aluminum Pair of Meeting Rails: Top Rail: 2 3/16" (56mm) high aluminum **Bottom Rail:** 2 9/16" (65mm) high aluminum

#### REINFORCEMENT AS REQUIRED BY WINDLOAD

Where required, Full width integral horizontal, reinforcement truss at meeting rails as required. Galvanized steel truss as required.

#### THERMATITE BOTTOM SECTION (optional top section)

Insulated sections fabricated from pre-painted, hot dipped galvanized, steel sheet; with rigid polyurethane insulation core, CFC and HCFC free, face sheet stucco embossed and rib reinforced.

For structural integrity, all doors 20'-0" and wider, the Thermatite bottom section is standard

Doors less than 20'-0" wide the Thermatite bottom section is optional.

P175T R 16 ft2 hF/Btu (calculated)

MAXIMUM OPENING WIDTH 24' 2" (7366)\*

#### MAXIMUM OPENING HEIGHT 18' (5512 mm)\*

Standard Lens Colours (Orange Pe available in and Bronze

Dark



Optional Lens Colours



Stock Stiles and





Bronze





COLOURS

Rail Colours:

A variety of stile and rail colours are available with ArmorBrite™ Powder Coat Systems.

\*For larger sizes, please consult factory. \*\*Upcharge for colour applies to these options.



www.rwdoors.com

