

Richards-Wilcox Engineered for Life

| Residential | Product | Catalogue

R·W Landmark Series™

Canada's Highest Quality Garage Doors, Since 1912 Contact an R-W Authorized Dealer Today!





OUR HISTORY Canada's Highest Quality Doors, Since 1912

Celebrating Over 100 Years In Business

Richards-Wilcox was incorporated in Canada in 1912, making us the oldest door company in the world. We're proud of our long history of quality products and we've built upon that history to bring you the exceptional line of residential garage doors we offer today.

At Richards-Wilcox, we are committed to making the next chapter of our history just as exciting as the first. We are passionate innovators of garage door design and desire to be the highest quality door systems manufacturer in the world.

GARAGE DOOR COLLECTIONS



PAGE 6

ECHO RIDGE

PREMIUM

PAGE 16















R-W AUTHORIZED DEALERS

A door is only as good as its installation. That's why our doors are only installed by Authorized Dealers. This process ensures that every installation meets our standards of quality.



MADE IN CANADA

Richards-Wilcox Canada has been in business for over 100 years; from parts, hardware to panels, R-W doors are proudly made in Canada.



LIMITED LIFETIMER[™] WARRANTY

There are enough worries in life – your garage door shouldn't be one of them. When you choose Richards-Wilcox, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Life-Timer[™] Warranty.

WEATHERLOCK™ SYSTEM

Richards-Wilcox

Weather Lock™

Richards·Wilcox

NeuFoam^{TI}

Unique Section Joint & Perimeter Door Seal System

Landmark doors incorporate R-W's exclusive WeatherLock[™] Section Joint. R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity. R-W's Dual Fin, Triple Contact Weather Seal is engineered to seal out dirt, bugs, wind, snow and water and match up beautifully with most garage styles and

colors. Our Arctic Grade Bulb Shaped Bottom Seal with a rust resistant Dual Contact aluminum retainer increases the strength of the bottom of the door.

ENGINEERED GARAGE DOOR SYSTEM

Our Garage Doors Last A Lifetime

Engineered and tested door systems that conform to the highest industry standards and regulations. R-W manufactures all door panels and major hardware components, giving us complete quality control from start to finish.

NEUFOAM[™] It's What's Inside That Counts!

In order to achieve the highest thermal values and stability, R-W sections are evenly filled environmentally friendly CFC/ HCFC-free Neufoam[™]. The higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

Richards·Wilcox

TruBalance"

TRU-BALANCE™ DRUM SYSTEM

Safely Manually Operate Your Garage Doors In Emergency Situations

The patent pending TruBalance[™] Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard. This improved drum configuration delivers a smoother operation, and more control, as the door moves through the track radius in to the horizontal plane. Homeowners will have a piece of mind that they can safely operate their garage door with ease in emergency situations. TruBalance[™] also

reduces the load on your electric door opener extending the service free life span.

INTRODUCING THE R-W Landmark SeriesTM

The Newest Line of High-Performance Garage Door Systems By Richards-Wilcox.

Since 1912, Richards-Wilcox Canada has been manufacturing quality doors in Canada for over 100 Years. Richards-Wilcox Residential Doors are not only one of the strongest, most efficient door systems in the world, but also offer a complete range of residential garage doors that will make your home look beautiful for years to come.


The R-W Landmark Series Collections Include:

- Rockwood L200RW
- Rockwood Contemporary L200RWC
- Echo Ridge XL L200ERX
- Echo Ridge L138ER
- Briarcrest L200BC
- Grandview L200GV
- Premium L200
- Premium Contemporary L200C
- Classic L138

NEUFOAMTh

Continuous polyurethane Insulated Core of high density foam resulting in two energy saving R-Values (R12 and R18)

> AUTHENTIC WOODGRAIN EMBOSSING The aesthetic of real wood without the maintenance hassle.



HIGH-STRENGTH, RUST-RESISTANT, PRE-PAINTED GALVANIZED STEEL

SHEETS Available in a variety of colours to match the beauty of your home.

WEATHERLOCK™ SECTION JOINT


Landmark doors incorporate R-W's exclusive WeatherLock™ Section Joint. R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity.

Bulb Seal - prevents air leaks. — Thermal Break - prevents heat transfer, air infiltration

GALVANIZED STEEL ENDCAPS Heavy duty for additional strength.


ARCTIC GRADE BULB SHAPED BOTTOM SEAL

With a rust resistant aluminum retainer increasing the strength of the bottom edge of the door.




Both the Traditional Rockwood Collection and the Modern Rockwood Contemporary Collection feature handcrafted overlays of clear red cedar can be stained to enhance the richly grained wood's beauty and match your home's exterior detail. When painting your door, flush boards and overlays made of a composite material that offer a cost savings and no end-of-colour options for **A TRULY CUSTOM LOOK**.

WINDOW OPTIONS



V-GROOVE



Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.

COMPOSITE MATERIAL



1/2" Extra composite material has a treated exterior. A smooth surface provides a flat exterior for painted doors.


CUSTOM COLOUR



Please see your R-W Authorized Dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Talk to your R-W Garage Doors dealer about all the different color options for your door.

ROCKWOOD STYLE OPTIONS



This is a small sampling of the Rockwood Style Options. Custom designs are available. See dealer for details.

ROCKWOOD CONTEMPORARY CONFIGURATIONS

This is a small sampling of the Rockwood Contemporary Panel Options. Custom designs are available. See dealer for details.

FEATURES & BENEFITS

18' X 10'

- → Neufoam[™]; Insulated polyurethane core to ensure energy efficiency.
- → TruBalance[™] Drum System: The patent pending TruBalance[™] Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- WeatherLock[™] System featuring our exclusive WeatherLock[™] Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- Matching cedar capped channels blend evenly into the custom coloured panels.
- Ability to match any arched header. Can be constructed to match any opening.



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
19.35	3"	18"/21"/28"/32" 6'- 6" to 12' in 3" Increments	

For Rockwood

7'- to 10' in 4" Increments for Rockwood Contemporary

For As Long As You

(Based on

1" Cedar Board)


Limited LifeTimer[™] Warranty For As Long As You Own Your Home

(2" Landmark Panel and

1" Cedar Board)




PANEL STYLES



Note: All Overlay options are available without windows

WINDOW OPTIONS



Window Styles Not Pictured: 4 Pane Arched, 4 Over 4 Pane and 4 Over 4 Pane Arched *10' (3048mm) wide doors use a 4-over-4 pattern





FEATURES & BENEFITS

Unique 3 section construction and large top section window adds beauty to your home.


- Neufoam[™]; Insulated polyurethane core to ensure energy efficiency.
- TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- WeatherLock[™] System featuring our exclusive WeatherLock[™] Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 9 colours to choose from.

SIZE


2 overlay colours - white and sandstone.



Limited LifeTimer[™] Warranty For As Long As You Own Your Home







FEATURES & BENEFITS

- Neufoam™; Insulated polyurethane core to ensure energy efficiency
- TruBalance[™] Drum System: The patent pending TruBalance[™] Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- WeatherLock[™] System featuring our exclusive WeatherLock[™] Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- > 5 panel styles to choose from.
- 9 colours to choose.
- 2 overlay colours white and sandstone.




Limited LifeTimer[™] Warranty For As Long As You Own Your Home



PANEL OPTION










Note: Panel styles are available without windows.

Decorative Hardware does not come standard.

WINDOW OPTIONS



Available in Clear, Obscure Pinhead and Satin Insulated Glass.

SWING



COLOUR OPTIONS



SLATE GREY



Limited LifeTimer[™] Warranty For As Long As You Own Your Home

BLACK



R-VALUE	DOOR	SECTION	MAX DOOR
	THICKNESS	HEIGHTS	SIZE
18	2"	18" / 21" / 24"	18' X 12'

FEATURES & BENEFITS

- > Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- TruBalance[™] Drum System: The patent pending TruBalance[™] Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- WeatherLock[™] System featuring our exclusive WeatherLock[™] Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- Large top window section and recessed smooth designs to add sheer elegance to your home.
- 9 colours to choose from.
- 5 panel styles including the customer preferred smooth designs.





PANEL STYLES

				WROUGHT IRON Two Piece Arched Wrought Iron Rectangle Wrought Iron
RAISED RANCH	RAISED COLONIAL	FLUSH	PLANK	One Piece Arched Wrought Iron 4-OVER-4 PANE
	RAISED COLONIAL	FLUSH	PLANK	Two Piece Arched 4-Over-4 Pane
	Ald Ald			One Piece Arched 4-Over-4 Pane
tins (tal. (tal.)) (tal.)				4 PANE
				Two Piece Arched 4 Pane Rectangle 4 Pane
RECESSED GROOVED COLONIAL	RECESSED GROOVED RANCH	RECESSED SMOOTH RANCH	WINDEMERE	One Piece Arched 4 Pane
				Two Piece Arched Clear Glass

One Piece Arched Clear Glass

WINDOW OPTIONS

Available in Clear, Obscure Pinhead and Satin Insulated Glass.

Rectangle Clear Glass



COLOUR OPTIONS







*Not Available in Recessed Grooved Panel Styles.

SEE PAGE 22 FOR WOODTONES

	GY	0	1
2	aλ	0	1
0	J.	V	0

ARRAN

1	0	P	1
	- 1		1
6	α		Vo





R-VALUE	DOOR	SECTION	MAX DOOR
	THICKNESS	HEIGHTS	SIZE
18	2"	18" / 21" / 24"	18' X 12'

Limited LifeTimer[™] Warranty For As Long As You Own Your Home

FEATURES & BENEFITS

- Neufoam[™]; Insulated polyurethane core to ensure energy efficiency.
- → TruBalance[™] Drum System: The patent pending TruBalance[™] Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- > WeatherLock[™] System featuring our exclusive WeatherLock[™] Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- > Large top window section and new recessed smooth designs to add sheer elegance to your home.
- 9 colours to choose from (See page 22 for Woodtone options)
- 8 panel styles to choose from.







PANEL STYLES				
1				
I III				
RAISED RANCH	RAISED COLONIAL	FLUSH	PLANK	MIXED PANEL
				POPULAR MIXED PANEL OPTIONS
	Contraction of Contraction			
	REPORT OF THE PROPERTY OF THE			
RECESSED GROOVED COLONIAL	RECESSED GROOVED RANCH	RECESSED SMOOTH RANCH	WINDEMERE	



COLOUR OPTIONS



ALMOND

DESERT TAN SANDSTONE





*Not Available in Recessed Grooved Panel Styles.

SEE PAGE 22 FOR WOODTONES



Limited Life Timer[™] Warranty For As Long As You Own Your Home



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE	
18	2"	18" / 21" / 24" 6'- 6" to 12' in 3" Increments	20' X 12'	

Limited LifeTimer[™] Warranty For As Long As You Own Your Home

FEATURES & BENEFITS

- Neufoam[™]; Insulated polyurethane core to ensure energy efficiency.
- TruBalance[™] Drum System: The patent pending TruBalance[™] Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- WeatherLock[™] System featuring our exclusive WeatherLock[™] Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 2" Inch panel thickness.
- 9 colours to choose from. (See page 22 for Woodtone options)
- 9 panel styles to choose from.



PREMIUM CONTEMPORARY L200C Collection

Customize your garage door look with your own personal style, with the ability to place windows in any location on your door. Create a contemporary look and get creative in your window placement for a one-of-a kind look.



POPULAR WINDOW CONFIGURATIONS

The Contemporary Collection is available in many different window configurations. Talk to your R-W dealer to discuss. Multiple window configurations available.

Aluminium Colonial


#	
#	
#	
#	
SINGLE VERTICAL LEFT (1 x 4)	

DOUBLE VERTICAL LEFT

* *

DOUBLE OFF-SET DOWN

inch
#
#
#
#
SINGLE VERTICAL LEFT



DOUBLE VERTICAL RIGHT

	Γ
	L
2 VERTICAL STACK RIGHT	


(2 x 4)

#

#

#

SINGLE VERTICAL STACK LEFT





COLOUR OPTIONS






SEE PAGE 22 FOR WOODTONES

SLATE GREY



Limited Life Timer[™] Warranty For As Long As You Own Your Home

BLACK



R-VALUE	DOOR	SECTION	MAX DOOR	
	THICKNESS	HEIGHTS	SIZE	
18	2"	18" / 21" / 24" 6'- 6" to 10' in 3" Increments	18' X 10'	

FEATURES & BENEFITS

- Neufoam[™]; Insulated polyurethane core to ensure energy efficiency.
- WeatherLock[™] System featuring our exclusive WeatherLock[™] Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 9 colours to choose from. (See page 22 for Woodtone options)
- 2 panel styles to choose from.
- 3 window choices Double Pane Colonial and Ranch and Double Pane Aluminum





PANEL STYLES





COLOUR OPTIONS



*Not Available in Recessed Grooved Panel Styles.

SEE PAGE 22 FOR WOODTONES



Limited Life Timer[™] Warranty For As Long As You Own Your Home

R-VALUE	DOOR	SECTION	MAX DOOR	
	THICKNESS	HEIGHTS	SIZE	
12	1-3/8"	18" / 21" / 24" 6'- 6" to 12' in 3" Increments	20' X 12'	

FEATURES & BENEFITS

- > Neufoam[™] Insulated polyurethane core to ensure energy efficiency.
- → TruBalance[™] Drum System: The patent pending TruBalance[™] Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- > WeatherLock[™] System featuring our exclusive WeatherLock[™] Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- > 9 colours to choose from. (See page 22 for Woodtone options)
- 7 panel styles to chose from.



Woodtones Richards-Wilcox

Simulate the look of an authentic wood door but on a durable and low maintenance Neufoam[™] insulated steel door.





AVAILABLE IN THESE VIBRANT WOODTONES







Μ	0	C	J	A

PANEL STYLE AVAILABILITY	Raised Ranch	Raised Colonial	Mixed Panel	Flush	Plank	Recessed Grooved Ranch	Recessed Grooved Colonial	Recessed Smooth Ranch	Windemere
Grandview (L200GV) Pages 14-15	Available in: Auburn Mocha Walnut	Available in: <mark>Auburn</mark> Mocha Walnut	Grandview is not available in this panel style	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Walnut	Available in: Walnut	Available in: Auburn Mocha	Available in: Auburn Mocha
Premium (L200) Pages 16-17	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha	Woodtones are not available in this panel style.
Premium Contemporary (L200C) Pages 18-19	Premium Contemporary is not available in this panel style	Premium Contemporary is not available in this panel style	Premium Contemporary is not available in this panel style	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Premium Contemporary is not available in this panel style			
Classic (L138) Pages 20-21	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Classic is not available in this panel style	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Classic is not available in this panel style	Woodtones are not available in this panel style.

NOTE: Premium (L200) and Classic (L138) doors ordered with Ranch, Colonial or Mixed Panel designs in Auburn or Mocha will be produced using dual directional Woodtones. Recessed Smooth and Windemere panels will be offered using single directional Woodtones.

Grandview (L200GV) doors will also be produced using single directional Woodtone steel.

Walnut selections will be offered in single directional Woodtones only.

Models ordered with Plank or Flush designs only be offered in single directional Woodtones

CLASSIC(L138) & PREMIUM(L200) WINDOW COLLECTION

When it comes to choosing the right window design for your garage door, no one can help you like your authorized R-W Dealer to achieve that perfect finishing touch to your new garage door. Once you've made your choice, that same R-W professional will install your new garage door, ensuring maximum performance and reliability. Your technician will check your door for everything from safety to performance and appearance. Trust your R-W garage door to someone who knows it better than anyone else, your professional R-W Dealer.

DECORATIVE INSERTS


CLEAR	ARCHED STOCKTON RANCH
SHERWOOD	CLEAR RANCH
PRAIRIE	SUNBURST RANCH
PRAIRIE RANCH	CATHEDRAL
WATERTON	WATERTON RANCH
	CASCADE RANCH
STOCKBRIDGE RANCH	ARCHED STOCKBRIDGE RANCH
STOCKTON	STOCKTON RANCH



*Available in single glass (clear and obscure pinhead) or double glass. (clear and obscure pinhead & satin)

ROUND BAR

3/8" (10 mm) round bars available in pewter. Standard with clear double glass; obscure pinhead and satin glass optional.



SQUARE BAR

3/8" (10 mm) square bars available in black. Standard with clear double glass; obscure pinhead and satin glass optional.



ALUMINUM GRID

5/8" (16 mm) grids available in sandstone, desert tan, almond, bronze, brown, café, slate grey, white and **black**. Standard with clear double glass; obscure pinhead and satin glass is optional.

STOCKTON 4		STOCKTON 6		STOCKTON 10	
	PRAIRIE		PRAIRIE RANCH		





GLASS OPTIONS



SATIN

FRAME **COLOURS**

Window frames available in all colours and wood finishes.



BROWN





CAFÉ











DECORATIVE HARDWARE



WHY RICHARDS-WILCOX?



BUILT TO LAST

Door sections are constructed from high-strength, rust-resistant galvanized steel and coated with a baked-on polyester paint finish. Which means your door will last a really, REALLY long time.



WEATHER THE CLIMATE

Built to withstand many different weather conditions, our doors have a continuous polyurethane insulated core, arcticgrade bottom seal and dual-seal section joints to help reduce air flow and lower your energy costs.



GREEN COMES STANDARD

Our Neufoam[™] polyurethane insulation is zero ozone-depleting to help reduce greenhouse gas emissions. Woodgrain embossing simulates real hardwood without depleting our forests.



STEEL IS THE NEW WOOD

Authentic woodgrain texture on panels gives you the aesthetic of wood without the cost or hassle of maintaining it.



Richards-Wilcox

Engineered for Life



For additional information and friendly advice, please contact your local Richards-Wilcox dealer

Professionally installed and serviced by:

RICHARDS-WILCOX GARAGE DOORS

5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5

Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037 | Fax: (905) 625-0057 | Email: info@rwdoors.com

www.rwdoors.com