

## LANDMARK<sup>TM</sup> SERIES RESIDENTIAL PRODUCT CATALOGUE



www.rwdoors.com



### WHY RICHARDS-WILCOX?



#### **Celebrating Over 110 Years In Business**

Incorporated in 1912, Richards-Wilcox<sup>™</sup> was the first company in Canada to introduce sectional overhead doors and establish nationwide distribution channels. In the 1970s, R-W launched a full line of steel sectional doors. In the 1980s, we began production of a continuous polyurethane insulated section – one of only three lines of its kind in North America.

The subsequent decades have brought continual improvements to our product offerings and manufacturing processes, including the addition of a full range of residential polyurethane insulated sectional doors. R-W is proud of our rich history of excellence. We are committed to being innovators of sectional door design and to manufacturing the highest quality door systems in the world.

#### **Quality Production**

Every aspect of our manufacturing operation is subject to the highest standards. Our team of engineers is dedicated to researching state-of-the-art design and production methods. An in-house testing facility and uncompromising quality control inspections make certain that only premium products leave the premises. Using the best available materials and technology guarantees that the finished door system will be reliable, strong, and worry-free for years to come.



#### **Authorized Dealers**

A door is only as good as its installation. That's why our doors are only installed by Authorized Dealers. This process ensures that every installation meets our standards of quality.



#### Made In Canada

Richards-Wilcox™ Canada has been in business for over 100 years; from parts, to hardware and panels, R-W doors are proudly Made in Canada.



#### **Lifetimer™ Warranty**

When you choose R-W, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Lifetimer™ Warranty.



### LANDMARK SERIES™

#### **ALL DOORS FEATURE:**

#### **Neufoam™ Insulation**

Continuous polyurethane insulated core of high density foam resulting in energy saving R-Values.

#### **Pre-painted Galvanized Steel Sheets**

High-strength, rust-resistant and available in up to 14 colours to match the beauty of your home. **No additional material (eg. wood)** is used on our doors.

#### Weatherlock™ Section Joint

R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity.

#### **Bulb Seal**

Prevents air leaks.

#### **Thermal Break**

Prevents heat transfer and air infiltration.

#### **Galvanized Steel Endcaps**

Heavy duty for additional strength.

#### **Arctic-Grade Bulb-Shaped Bottom Seal**

Rust resistant aluminum retainer that increases the strength of the bottom edge of the door.



#### **TABLE OF CONTENTS**

#### **Traditional Doors**

Classic and Premium Collections	.Page	4
Grandview Collection	.Page	8
Modern Doors		
Contemporary Collections	.Page	10
Carriage House Doors		
Briarcrest Collection	.Page	14
Echo Ridge Collection	.Page	16
Echo Ridge XL Collection	.Page	18
Custom Cedar Doors		
Rockwood Collection	.Page	20

Rockwood Contemporary Collection......Page 22

#### **Additional Resources**

Decorative Insert Windows	.Page	6
Metal Insert Windows	.Page	7
Grandview, Briarcrest & Contemporary Windows	.Page	12
Woodtone Availability	.Page	13
Decorative Hardware	.Page	24
Standard Hardware	.Page	25
Warranty Information	.Page	26
Design-A-Door	.Page	97

## CLASSIC & PREMIUM COLLECTIONS



### Traditional Style Garage Doors

#### Featuring:

- 1 3/8" (R12) and 2" (R18)
   Section Thicknesses
- Up to 8 Panel Styles Available
- 14 Colour Options
- 20' x 12' Max Door Size



#### Neufoam™

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



#### WeatherLock™

Includes our Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.



#### **TruBalance™**

Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.




CLASSIC (L138): PREMIUM (L200):

1 3/8" Thick Door 2" Thick Door

R12 R-Value R18 R-Value

#### **Panel Styles:**



#### **Colour Options:**



#### **Woodtones:**









Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.

Iron Ore, Slate Grey and Café colour options are not available in Recessed Grooved Colonial or Recessed Grooved


Only Available with Premium (L200)

See Page 13 for information on Auburn, Driftwood, Mocha and Walnut availability.


Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

#### Please See Pages 6 and 7 for Window Options


### **DECORATIVE INSERTS**




Prairie Ranch (42" Wide x 14" High)



Stockbridge Arch (42" Wide x 14" High)





#### Frame Colour Options: Frame Matching for All Decorative Inserts. Frames on the inside of the door show as white.



#### Woodtone Frame Colour Options: Frame Matching for All Decorative Inserts. Frames on the inside of the door show as white.



#### **Glass Styles:**



### **METAL INSERTS**

#### **Window Styles**



Stockton 4 (19.5" Wide x 14" High)



Stockton 6 (19.5" Wide x 14" High)



Stockton 10 (42" Wide x 14" High




Prairie Colonial (19.5" Wide x 14" High)



Prairie Ranch (42" Wide x 14" High

#### **Insert Material**



#### **Round Bar:**

3/8" (10 mm) round bars available in pewter.

#### **Square Bar:**

3/8" (10 mm) square bars available in black.

#### **Aluminum Grid:**

5/8" (16 mm) grids available in Sandstone, Desert Tan, Almond, Bronze, Brown, Café, Slate Grey, White, and Black.

#### Frame Colour Options: Frame Matching for All Decorative Inserts. Frames on the inside of the door show as white.



#### Woodtone Frame Colour Options: Frame Matching for All Metal Inserts. Frames on the inside of the door show as white.



#### **Glass Styles:**







Clear Satin

Obscure

### **GRANDVIEW COLLECTION**



### Traditional Style Garage Door with an XL Top Section Featuring 20% Larger Windows

#### Featuring:

- 24" Top Section With Extra Large Windows
- 2" (R18) Section Thickness7 Panel Styles Available
- 14 Colour Options
- 18' x 12' Max Door Size



#### Neufoam™

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



#### WeatherLock™

Includes our Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.



#### **TruBalance™**

Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.



**GRANDVIEW** (L200GV):

2" Thick Door

R18 R-Value

#### **Panel Styles:**



#### **Colour Options:**



#### **Woodtones:**

Auburn



Mocha

Walnut

Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.

Iron Ore, Slate Grey and Café colour options are not available in Recessed Grooved Colonial or Recessed Grooved Ranch panel styles.


See Page 13 for information on Auburn, Driftwood, Mocha and Walnut availability.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

#### Please See Page 12 for Window Options

Driftwood

### **CONTEMPORARY COLLECTIONS**



#### Modern Style Garage Doors With A Wide Array Of Customizable Window Placements

#### Featuring:

- 1 3/8" (R12) and 2" (R18)
   Section Thicknesses
- 2 Panel Styles Available
- 14 Colour Options
- 3 Window Styles
- 18'x10' Max Door Size for 2" door
- 16'x10' Max Door Size for 1 3/8" door



#### Neufoam™

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.




#### WeatherLock™

Includes our Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.




**CLASSIC CONTEMPORARY** (L138C): **1 3/8"** Thick Door **R12** R-Value **PREMIUM CONTEMPORARY** (L200C): **2"** Thick Door **R18** R-Value

#### **Panel Styles:**




#### **Colour Options:**



#### **Woodtones:**

Slate Grey





DLONIAL	RANCH	ALUMINUM	SLIM
#	<b>"</b>		##
#	<b>"</b>		
<b>"</b>	<b>"</b>		***
<b>"</b>	<b>"</b>		
ngle Vertical Left	Single Vertical Left	Single Vertical Right	Single Vertical Left
<b>"</b> "			<b>#</b>
" "	#		# #
" "	<b>"</b>		W W
" "			##
ouble Vertical Left	Single Vertical Stack Left	Double Vertical Right	Single Vertical Right
# #	<i>"</i>		<i>M M</i>
" "	*		# #
###			<i>M M</i>
			# #

Slim and Aluminum Windows are not available on the Classic Contemporary Model

Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.

See Page 13 for information on Auburn, Mocha and Walnut availability.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.


### **GRANDVIEW & BRIARCREST WINDOWS**



Standard Window Sizing



XL Grandview & Briarcrest Windows (20% Larger than a Standard Ranch Window)






Wrought-Iron







#### **Two-Piece Arch**











#### **Glass Styles:**









Obscure

#### Frame Colour Options: Frame Matching for All Available Colours. Frames on the inside of the door show as white.





























**CONTEMPORARY WINDOWS** 

#### **Window Options:**



Single (35" x 7.5")


Slim





Colonial (19.5" W x 14" H) Ranch (43" W x 14" H)

#### **Aluminum**





#### **Glass Styles:**









Dark Tint

Black Satin

#### Frame Colour Options: Available Colonial, Ranch and Slim Windows. Frames on the inside of the door show as white.



Aluminum windows are only available in Clear and Satin Glass. Frame matching is not available for Aluminum Windows.

Double (70" x 8.5")

Slim Windows are only available in Clear, Satin and Black Satin Glass. Auburn, Mocha and Walnut Frames are not available for Slim Windows. Woodtone doors are only available with Black Slim Window frames.

### WOODTONES

Simulate the look of an authentic wood door but on a durable and low maintenance Neufoam™ insulated steel door.

#### **Available in these Vibrant Woodtones**









Auburn Mocha Wanut Driftwood

	Raised Ranch	Raised Colonial	Mixed Panel	Flush	Plank	Recessed Grooved Ranch	Recessed Grooved Colonial	Recessed Smooth Ranch
Classic (L138)	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha
Premium (L200)	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha
Grandview (L200GV)	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha Walnut Driftwood	Available in: Auburn Mocha
Premium/Classic Contemporary (L200C & L138C)	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	Available in: Auburn Mocha Walnut	Available in: Auburn Mocha Walnut	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE

Premium, (L200) Classic, (L138) and Grandview (L200GV) doors ordered with Ranch (Raised or Recessed Grooved), Colonial (Raised or Recessed Grooved) or Mixed Panel designs in Auburn or Mocha will be produced using dual-directional Woodtones. Recessed Smooth Ranch, Flush and Plank sections will be offered using single directional Woodtones.

All Walnut sections will be produced using single directional Woodtones only. All Driftwood sections will be produced using dual-directional Woodtones only.

Models ordered with Plank or Flush designs will be offered using single-directional Woodtones only.

Auburn and Mocha Flush or Plank selections are available in both Stucco and Woodgrain Embossing. Walnut Flush or Plank selections are only available in Woodgrain embossing.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

### BRIARCREST COLLECTION



### Carriage House Style Door Featuring Inlay Patterns and Extra Large Windows

#### Featuring:

- 24" Top Section With Extra Large Windows
- Recessed Smooth Ranch Section and Carriage House Inlays
- 2" (R18) SectionThickness5 Panel Styles Available
- 9 Colour Options
- 18' x 12' Max Door Size



#### Neufoam™

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



#### WeatherLock™

Includes our Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.



#### **TruBalance**<sup>™</sup>

Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.



**BRIARCREST** (L200BC):

2" Thick Door

R18 R-Value


#### **Panel Styles:**



#### **Colour Options:**



#### Window Options: 43.5" Wide x 17" High



For full details on Window availability please see Page 12.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

### **ECHO RIDGE COLLECTION**



### Carriage House Style Door With with Flush Section and Fibrex® Overlay Boards

#### Featuring:

- Flush door section with Fibrex®
   Overlay Boards for a Carriage
   House appeal
- Overlay Boards have Bevelled Edges and Mitered Corners
- 1 3/8" (R12) Section Thickness
- 6 Panel Styles Available
- 6 Colour Options
- 2 Overlay Board Colours
- 16' x 10' Max Door Size



#### Neufoam™

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



#### **WeatherLock™**

Includes our Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.



#### **TruBalance**™

Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.



ECHO RIDGE (L138ER):

1 3/8" Thick Door

R12 R-Value

#### **Panel Styles:**



#### **Colour Options:**




#### **Overlay Board Options:**


Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.



#### **Window Options:**

Three Pane





Three-Over-Three pane arched

#### **Glass Styles:**



Clear

### ECHO RIDGE XL COLLECTION



### Three-Section Carriage House Style Door Featuring Fibrex® Overlay Boards

#### Featuring:

- 3-Section Flush door section with Fibrex® Overlay Boards for a Carriage House appeal
- Overlay Boards have Bevelled Edges and Mitered Corners
- 2" (R18) SectionThickness6 Panel Styles Available
- 1 Colour Option Available
- 2 Overlay Board Options
- 16' x 10' Max Door Size



#### Neufoam™

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



#### WeatherLock™

Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.




**ECHO RIDGE XL** (L200ERX):

2" Thick Door

R18 R-Value

#### **Panel Styles:**




#### **Colour Options:**


White

#### **Overlay Board Options:**



**Window Options:** 





Three-Over-Three pane arched


#### **Glass Styles:**



Clear

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

### **ROCKWOOD COLLECTION**



#### Carriage House Door Featuring A Custom Wood Overlay Available In A Variety Of Styles And Colours

#### Featuring:

- Custom Cedar Three-Section
   Door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) Section
   Thickness with 1" Cedar Board
- 18' x 10' Max Door Size



#### Neufoam™

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



#### WeatherLock™

Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.



#### ROCKWOOD (L200RW):

#### 3" Thick Sections (2" Landmark Panel & 1" Cedar Board)

**R19.35** R-Value



#### **Composite Material**

Shakespeare

Stratford

1/2" Extira composite material. A treated exterior smooth surface provides a flat exterior for painted doors.



#### **V-Groove**

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.




#### **Custom Colours**

Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

#### **Rockwood Style Options**

This is a small sampling of the Rockwood Style Options. Custom designs are available. See dealer for details.



Waterloo

Windsor

#### **Window Options:**





One-Pane Arched



Three-Pane Arched



Three Pane



Three-Over-Three Pane



Three-Over-Three Arched

### **ROCKWOOD CONTEMPORARY**



#### Modern Door Featuring A Custom Wood Overlay Available In A Variety Of Styles And Colours

#### Featuring:

- Modern Custom Cedar Door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) Section
   Thickness with 1" Cedar Board
- 18' x 10' Max Door Size



#### Neufoam™

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



#### WeatherLock™

Includes our Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.



ROCKWOOD CONTEMPORARY (L200RWC): 3" Thick Sections R19.35 R-Value (2" Landmark Panel & 1" Cedar Board)



#### **Composite Material**

1/2" Extira composite material.

A treated exterior smooth surface provides a flat exterior for painted doors.



#### **V-Groove**

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.




#### **Custom Colours**

Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

#### **Popular Rockwood Contemporary Configurations**

This is a small sampling of the Rockwood Style Options. Custom designs are available. See dealer for details.



Style #16

Style #17

Style #19

Style #20

### **DECORATIVE HARDWARE**





16" Cast Iron Spear Hinge

16" Stamped Spade Hinge



1

Keyed + Dummy Spade L-Handle



Keyed + Dummy L-Handle



Cast Iron Colonial Pull Handle



Cast Iron Spear Pull Handle



Arched Cast Iron Fleur-De-Lys Pull Handle



Stamped Spade Pull Handle



Cast Iron L-Handle Long Dummy Handle



Cast Iron Fleur-De-Lys Dummy Handle



Cast Iron Colonial Lift Handle



Cast Iron Spear Lift Handle



Cast Iron Fleur-De-Lys Lift Handle



Stamped Spade Lift Handle

### 8

Cast Iron Lion's Head Door Knocker



Cast Iron Fleur-De-Lys Door Knocker



Cast Iron Door Studs

Manor Collection



**Magnetic Hardware** 

Colonial Collection



Mission Collection

### **R-W HARDWARE**

### **NOT JUST ANOTHER PRETTY FACE**

Our Hardware Components Are Made To The Highest Industry Standards.



#### **Standard Hardware**

- 10,000 Cycle Torsion Spring
- Brackets and flags riveted to the verticals
- Horizontal angle riveted to horizontals
- Bearing plate with press in bearing
- White nylon 11 BB rollers
- 14 Gauge Hinges
- 16 Gauge Vertical and Horizontal Track
- Full length horizontal angle on double doors
- 5 Year Warranty



#### **Standard Hardware Plus**

- 20,000 Cycle Torsion Spring
- Pre-assembled, bolt together track sets
- White nylon 11 BB rollers
- 14 Gauge hinges
- 14 Gauge Vertical and Horizontal Track
- Features a Locking Collar Bearing on Single Spring Doors
- Lifetime Warranty

#### Both SH and SH+ are Available in These Headroom Configurations.

- High Lift
- Standard Lift 12" Radius
- Standard Lift 15" Radius
- Low Headroom Front-Mount
- Low Headroom Rear-Mount



### **LANDMARK™ WARRANTY**

#### **Limited Lifetimer™ Warranty**

Richards-Wilcox warrants door sections against deterioration due to "rust through" and/or "delamination" and all hardware components (See below for spring detail) used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for as long as the original purchaser owns the home;
- Trim boards on Briarcrest., Echo Ridge & Echo Ridge XL door systems are warranted against delamination for a period of five (5) years.



 Standard Hardware components are warranted for five (5) years. Standard Hardware Plus hardware components are warranted for as long as the original purchaser owns the home

#### **Springs**

Richards-Wilcox warrants all spring assemblies used in the door system against defects in material and workmanship as follows:

• In residential single-family installations, for a period of five (5) years from the date of delivery to the original purchaser;

#### Glass


Richards-Wilcox warrants its sealed glass windows for five years from the time of purchase against the formation of condensation within the sealed unit. Richards-Wilcox will only replace the windows if there is a seal failure. Broken or cracked glass is not covered by any warranty. This warranty does not cover windows or window parts that have been removed from an initial installation and reinstalled in any structure.

#### **Painting**

Your Richards-Wilcox residential garage door is already protected with a long-lasting finish. No additional painting is required. R-W will not warrant any instances of rust, blistering or delamination if third-party paint is applied after purchase.

For more Warranty information please see www.rwdoors.com for details.

### R-W DESIGN-A-DOOR



## **Build The Perfect Garage Door For Your Home**

Ouickly build an accurate rendering of one of our garage doors. Select from the extensive array of styles, colours and accessories, shown in this catalogue, to fit your home's aesthetic. Once you've built the door, you can Request a Quote from one of our R-W Authorized, Professional Installing Dealers.

Visit www.rwdoors.com/design-a-door to begin designing!



# LANDMARK SERIES<sup>TM</sup>

For additional information and friendly advice, please contact your local Richards-Wilcox™ dealer.

Professionally installed and serviced by:

#### **Richards-Wilcox™ Garage Doors**

5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5

Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037 | Fax: (905) 625-0057 | Email: info@rwdoors.com

www.rwdoors.com

Printed May 2023 • Part # 1-0200-BLM14SHYE