Richards-Wilcox®
Garage Doors

SINCE 1912

LANDMARK™ SERIES

Residential Product Catalogue

Made in Canada

rwdoors.com

Why Richards-Wilcox?

Celebrating Over 110 Years In Business

Incorporated in 1912, Richards-Wilcox® was the first company in Canada to introduce sectional overhead doors and establish nationwide distribution channels. In the 1970s, R-W launched a full line of steel sectional doors. In the 1980s, we began production of continuous polyurethane-insulated sections. This was one of only three lines of its kind in North America.

The subsequent decades have brought continual improvements to our product offerings and manufacturing processes, including the addition of a full range of residential polyurethane insulated sectional doors. R-W is proud of our rich history of excellence. We are committed to being innovators of sectional door design and to manufacturing the highest quality door systems in the world.

Quality Production

Every aspect of our manufacturing operation is subject to the highest standards. Our team of engineers is dedicated to researching state-of-the-art design and production methods. An in-house testing facility and uncompromising quality control inspections make certain that only premium products leave the premises. Using the best available materials and technology guarantees that the finished door system will be reliable, strong, and worry-free for years to come.

Authorized Dealers

A door is only as good as its installation. That's why our doors are only installed by authorized dealers. This process ensures that every installation meets our standards of quality.

Made In Canada

Richards-Wilcox® has been in business for over 110 years; from parts, to hardware and panels, R-W doors are proudly made in Canada.

Lifetimer™ Warranty

When you choose R-W, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Lifetimer™ warranty.

The Landmark™ Series

All Doors Feature

Neufoam™ Insulation
Continuous polyurethane insulated core of high density foam resulting in energy saving R-Values.

Pre-Painted Galvanized Steel Sheets
High-strength, rust-resistant and available in up to 12 colours to match the beauty of your home. No additional material (eg. wood) is used on our doors.

Weatherlock™ Section Joint
R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity.

Bulb Seal
Prevents air leaks.

Thermal Break
Prevents heat transfer and air infiltration.

Galvanized Steel Endcaps
Heavy duty for additional strength.

Arctic-Grade Bulb-Shaped Bottom Seal
Rust resistant aluminum retainer that increases the strength of the bottom edge of the door.

Table of Contents

Traditional Doors
Classic and Premium Collections ..... Page 4
Grandview Collection ..... Page 8

Modern Doors
Contemporary Collection ..... Page 10

Carriage House Doors
Briarcrest Collection ..... Page 14
Echo Ridge Collection ..... Page 16
Echo Ridge XL Collection ..... Page 18

Custom Cedar Doors
Rockwood Collection ..... Page 20
Rockwood Contemporary Collection ..... Page 22

Additional Resources
Decorative Insert Windows ..... Page 6
Metal Insert Windows ..... Page 7
Grandview, Briarcrest & Contemporary Windows ..... Page 12
Landmark Elements Woodtones ..... Page 13
Decorative Hardware ..... Page 24
Standard Hardware ..... Page 25
Warranty Information ..... Page 26
Design-A-Door ..... Page 27

Classic and Premium Collections

Premium ▪ Recessed Ranch ▪ White ▪ Stockton 10 aluminum grid windows ▪ Clear glass

Traditional style garage doors

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- Up to 8 panel styles available
- 12 colour options available
- 20' x 14' max door size

Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.

Classic (L138)	1 3/8" thick door	R12 R-Value
Premium (L200)	2" thick door	R18 R-Value

Panel Styles

Flush

Plank

Raised Ranch

Raised Colonial

Recessed Grooved Ranch*


Recessed Grooved Colonial

Recessed Ranch*

Mixed Panel
Only available with Premium (L200)

*Not compatible with colonial windows.

Colour Options

Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Landmark Elements Woodtones

Cocoa Hickory

Honey Cedar

See pages 6 and 7 for window options

All panel styles feature a Woodgrain embossed texture. Plank, Flush and Recessed Ranch styles are also available in Stucco embossing.
Iron Ore, Slate Grey and Café colour options are not available in the Recessed Grooved Colonial panel style.
Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

Window Options

Colonial | 19.5" wide x 14" high

Ranch | 42.25" wide x 14" high

Decorative Inserts

Colonial Styles

Stockton

Cascade

Prairie

Waterton

Ranch Styles

Stockton

Arched Stockton

Stockbridge

Arched Stockbridge

Cascade

Prairie

Waterton

Breckenridge*

Berkshire*

*Available for doors 15'-10" and wider.

Frame Colour Options

Frames on the inside of the door are white.

Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Woodtone Frame Colour Options

For woodtone panels only. Also available in black frames.
Frames on the inside of the door are white.

Cocoa Hickory

Honey Cedar

Glass Styles

Available in single pane or insulated sealed units, non-tempered only.



Clear

Satin**



Obscure



Dark Tint

Black Satin**

**Insulated sealed only.

Window Options

Metal Inserts

Round Bar
3/8" (10 mm) round bars available in Pewter.



Square Bar
3/8" (10 mm) square bars available in Black.



Aluminum Grid
5/8" (16 mm) grids available in Sandstone, Desert Tan, Almond, Bronze, Brown, Café, Slate Grey, White, and Black.



Colonial Styles

Stockton 4



Stockton 6



Prairie

Ranch Styles

Stockton 10



Prairie Ranch

Frame Colour Options
Frames on the inside of the door are white.

Almond

Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Woodtone Frame Colour Options
For woodtone panels only. Also available in black frames.
Frames on the inside of the door are white.

Cocoa Hickory

Honey Cedar

Glass Styles
Available in insulated sealed units, non-tempered only.

Clear

Satin



Obscure

Grandview Collection

Grandview ▪ Flush ▪ Desert Tan ▪ Rectangle 4-Over-4 windows ▪ Obscure glass

Traditional style garage door with an extra large top section featuring 20% larger windows

Featuring

- 24" top section with extra large windows
- 2" (R18) section thickness
- 7 panel styles available
- 12 colour options available
- 18' x 14' max door size

Neufoam™
Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

WeatherLock™
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.

Grandview ▪ Recessed Ranch ▪ Slate Grey ▪ 4-Over-4 Two-Piece Arched windows ▪ Clear glass

Grandview (L200GV) 2" thick door R18 R-Value

Panel Styles


Flush

Plank

Raised Ranch

Raised Colonial

Recessed Grooved Ranch


Recessed Grooved Colonial


Recessed Ranch

Colour Options

Almond Black Bronze Brown Café Desert Tan Sandstone Iron Ore Slate Grey White

Landmark Elements Woodtones

Cocoa Hickory Honey Cedar

See page 12 for window options

All panel styles feature a Woodgrain embossed texture. Plank, Flush and Recessed Ranch styles are also available in Stucco embossing.
Iron Ore, Slate Grey and Café colour options are not available in the Recessed Grooved Colonial panel style.
Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

Contemporary Collections

Premium Contemporary ▪ Black ▪ Flush ▪ Ranch windows ▪ Satin glass

Modern style garage doors with a wide array of customizable window placements

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- 2 panel styles available
- 12 colour options available
- 3 window styles available
- 20' x 14' max door size

Neufoam™
Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

WeatherLock™
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.

Premium Contemporary ▪ Plank ▪ Black ▪ Single Slim windows ▪ Satin glass

Classic Contemporary (L138C)	1 3/8" thick door	R12 R-Value
Premium Contemporary (L200C)	2" thick door	R18 R-Value

Panel Styles

Flush



Plank

Raised Ranch

Raised Colonial

Recessed Ranch

Colour Options

Almond



Black

Bronze

Brown

Café

Desert Tan

Sandstone

Iron Ore

Slate Grey

White

Landmark Elements Woodtones

Cocoa Hickory

Honey Cedar

Popular Contemporary Configurations:

Colonial



Single vertical left



Double vertical left



Single vertical right

Ranch



Single vertical left



Single vertical right



Single vertical middle

Slim



Single vertical left

Single vertical right



Double vertical middle

Contact an R-W dealer about custom window placement options!

All panel styles feature a Woodgrain embossed texture. Plank, Flush and Recessed Ranch styles are also available in Stucco embossing.
Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.
Colonial and Ranch panels are limited to their respective window styles. Plank and Flush are compatible with all window options.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

See page 12 for window options

Grandview and Briarcrest Windows



Standard window sizing

XL Grandview & Briarcrest Windows (20% larger than a standard ranch window)

Window Options 43.5" x 17"

Rectangle

Wrought-Iron



4-Over-4

4-Pane

Clear

Two-Piece Arch

Wrought-Iron

4-Over-4

4-Pane

Clear

Glass Styles

Clear

Satin



Obscure

Available in insulated sealed units, non-tempered only.

Frame Colour Options Frames on the inside of the door are white.

Almond | Black | Bronze | Brown | Café | Desert Tan | Sandstone | Iron Ore | Slate Grey | White | Cocoa Hickory | Honey Cedar

Contemporary Windows

Standard

Colonial | 19.5" x 14"

Ranch | 42.25" x 14"

Available in single pane or insulated sealed units, tempered or non-tempered.

Slim

Single | 35" x 7.5"



Double | 70" x 8.5"

Glass options include: Clear, Satin, or Black Satin.
Available in insulated sealed units, tempered only. L138C slim windows come in Black or Silver frames only and are not available in Black Satin glass or Woodtone finishes.

Glass Styles

Clear

Satin*



Obscure

Dark Tint

Black Satin*

*Insulated sealed only.

Frame Colour Options Frames on the inside of the door show as white.

Almond | Black | Bronze | Brown | Café | Desert Tan | Sandstone | Iron Ore | Slate Grey | White | Cocoa Hickory** | Honey Cedar**

**Standard windows available in frame matching or black only. Slim windows come with black frames only.

Landmark™ Elements

Our Landmark Elements are crafted with cutting-edge high-definition digital print technology to replicate the timeless beauty of real wood.

New colours are available in the following Landmark models: Classic (L138), Premium (L200), Grandview (L200GV), Classic Contemporary (L138C) and Premium Contemporary (L200C).

Landmark Elements are offered in two designs:

Dual-Directional Design
Available in these panel styles:

- Raised Ranch
- Raised Colonial
- Recessed Grooved Ranch
- Recessed Grooved Colonial
- Mixed Panel (L200 only)

Plank Design
Available in this panel style:

- Flush

Cocoa Hickory

Honey Cedar

Briarcrest Collection

Briarcrest ▪ Swing ▪ Bronze ▪ 4-Pane Arched windows ▪ Clear glass

Carriage house style door featuring inlay patterns and extra large windows

Featuring

- 24" top section with extra large windows
- Recessed Ranch sections and carriage house inlays
- 2" (R18) section thickness
- 5 panel styles available
- 9 colour options available
- 18' x 12' max door size

Neufoam™
Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

WeatherLock™
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.

Briarcrest ▪ Bi-Fold ▪ Black ▪ 4-Pane Rectangle windows ▪ Clear glass

Briarcrest (L200BC) 2" thick door R18 R-Value

Panel Styles



A-Buck



V-Buck



X-Buck

Bi-Fold

Swing

Colour Options

Almond Black Bronze Brown Café Desert Tan Sandstone Iron Ore Slate Grey White

Window Options 43.5" wide x 17" high

Rectangle



Wrought-Iron

4-Over-4

4-Pane

Clear

Two-Piece Arch

Wrought-Iron

4-Over-4

4-Pane

Clear

Glass Styles

Clear

Satin



Obscure

Available in insulated sealed units, non-tempered only.

See page 12 for window options

All panel styles feature a Woodgrain embossed texture. A-Buck, V-Buck and X-Buck styles are not available for all door heights. Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples and availability.

Echo Ridge Collection

Echo Ridge ▪ V-Buck ▪ Bronze ▪ White overlays ▪ 4-Pane windows ▪ Clear glass

Carriage house style door with flush section and Fibrex® overlay boards

Featuring

- Flush door section with Fibrex® overlay boards for a carriage house appeal
- Overlay boards have beveled edges and mitered corners
- 1 3/8" (R12) section thickness
- 6 panel styles available
- 6 colour options
- 2 overlay board colours
- 16' x 10' max door size

Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.

Echo Ridge ▪ X-Buck ▪ White ▪ White overlays ▪ 3-Over-3 Rectangle windows ▪ Clear glass

Echo Ridge (L138ER)

1 3/8" thick door

R12 R-Value

Panel Styles

A-Buck

V-Buck

X-Buck

Swing



Bi-Fold



Double Bi-Fold

Colour Options

Almond

Bronze

Brown

Desert Tan

Sandstone

White

Overlay Board Options



Sandstone

White

Window Options



One Pane



Three-Over-Three Pane

One-Pane Arched

Three-Over-Three Arched

Three Pane

Glass Styles

Clear

Available in non-tempered insulated sealed units.

All panel styles feature a Woodgrain embossed texture.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

Echo Ridge XL Collection

Echo Ridge XL ▪ Bi-Fold ▪ White on White ▪ 3-over-3 windows ▪ Clear glass

Three-section carriage house style door featuring Fibrex® overlay boards

Featuring

- 3-Section flush door section with Fibrex® overlay boards for a carriage house appeal
- Overlay boards have beveled edges and mitered corners
- 2" (R18) section thickness
- 6 panel styles available
- 1 colour option available
- 2 overlay board options
- 16' x 10' max door size

Neufoam™
Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

WeatherLock™
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.

Echo Ridge XL ▪ Bi-Fold and Double Bifold ▪ White on White ▪ 4-over-4 and 3-over-3 windows ▪ Clear glass

Echo Ridge XL (L200ERX) 2" thick door R18 R-Value

Panel Styles

A-Buck

V-Buck

X-Buck



Swing



Bi-Fold

Double Bi-Fold

Colour Options

White

Overlay Board Options

Sandstone

White

Window Options



One Pane



Three-Over-Three Pane

One-Pane Arched

Three-Over-Three Arched

Three Pane

Glass Styles

Clear

Available in tempered insulated sealed units.

All panel styles feature a Woodgrain embossed texture.
Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

Rockwood Collection

Stratford design ▪ 3" V-match inlay ▪ Stain grade ▪ Arched top ▪ 3-Over-3 Pane windows

Carriage house door featuring a custom wood overlay available in a variety of styles and colours

Featuring

- Custom cedar three-section door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) section thickness with 1" cedar board
- 18' x 10' max door size

Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.

Custom Shakespeare ▪ 3" V-Match Inlay ▪ Stain grade ▪ Arched top 3-Over-3 Pane windows

Rockwood (L200RW)

3" thick sections
(2" Landmark panel & 1" cedar board)

R19.35 R-Value

Composite Material

1/2" Extira composite material. A treated exterior smooth surface provides a flat exterior for painted doors.

V-Groove

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.



Custom Colours

Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Rockwood Style Options

This is a small sampling of the Rockwood style options. Custom designs are available. See dealer for details.



Bentley



Bracebridge



Crosshill



Harmony



Harrington



Linwood



Owen Sound



Oxford



Shakespeare



Stratford



Waterloo



Windsor

Window Options

One Pane

One-Pane Arched

Three-Pane Arched

Three Pane

Three-Over-Three

Three-Over-Three Arched

Rockwood Contemporary

Contemporary Style #5 ▪ 5" V-Match inlay ▪ Stain grade ▪ Custom windows

Modern door featuring a custom wood overlay available in a variety of styles and colours

Featuring

- Modern custom cedar door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) section thickness with 1" cedar board
- 18' X 10' max door size

Neufoam™
Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.

WeatherLock™
Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Contemporary style #2 ▪ 5" full length V-Match ▪ Stain grade

Rockwood Contemporary (L200RWC) 3" thick sections R19.35 R-Value

(2" Landmark panel & 1" cedar board)

Composite Material

1/2" Extira composite material. A treated exterior smooth surface provides a flat exterior for painted doors.

V-Groove

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.



Custom Colours

Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Popular Rockwood Contemporary Configurations

This is a small sampling of the Rockwood style options. Custom designs are available. See dealer for details.



Style #1



Style #2



Style #3



Style #4



Style #5



Style #6



Style #7



Style #8



Style #16



Style #17



Style #19



Style #20

Decorative Hardware

16" Cast Iron Spear Hinge Assembly

16" Cast Iron Spear Hinge

16" Stamped Spade Hinge

16" Cast Iron Colonial Hinge

Keyed + Dummy
Spade L-Handle

Keyed + Dummy
L-Handle

Cast Iron
Colonial
Pull Handle

Cast Iron
Spear
Pull Handle

Arched Cast Iron
Fleur-De-Lys
Pull Handle

Stamped
Spade
Pull Handle

Cast Iron L-Handle
Long Dummy Handle

Cast Iron Fleur-De-Lys
Dummy Handle

Cast Iron
Colonial
Lift Handle

Cast Iron
Spear
Lift Handle

Cast Iron
Fleur-De-Lys
Lift Handle

Stamped
Spade
Lift Handle

Cast Iron Lion's Head
Door Knocker

Cast Iron Fleur-De-Lys
Door Knocker

Cast Iron Door Studs

Magnetic Hardware

Manor Collection

Mission Collection

Standard Hardware

Not Just Another Pretty Face. Our hardware components are made to the highest industry standards.

Standard Hardware

- 10,000-cycle torsion spring
- Brackets and flags riveted to the verticals
- Horizontal angle riveted to horizontals
- Bearing plate with press in bearing
- White nylon 11 BB rollers
- 14-gauge hinges
- 16-gauge vertical and horizontal track
- Full-length horizontal angle on double doors
- 5-year warranty

Standard Hardware Plus

- 20,000-cycle torsion spring
- Pre-assembled, bolt together track sets
- White nylon 11 BB rollers
- 14 gauge hinges
- 14 gauge vertical and horizontal track
- Features a locking collar bearing on single spring doors
- Lifetime warranty

Both SH and SH+ are available in these headroom configurations.

- High lift
- Standard lift 12" radius
- Standard lift 15" radius
- Low headroom front-mount
- Low headroom rear-mount

Learn more about Standard Hardware with our online poster.



Landmark® Warranty

Limited Lifetimer™ Warranty

Richards-Wilcox warrants door sections against deterioration due to “rust through” and/or "delamination" and all hardware components (see below for spring detail) used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for as long as the original purchaser owns the home;

- Trim boards on Briarcrest., Echo Ridge & Echo Ridge XL door systems are warranted against delamination for a period of five (5) years.

- Standard Hardware components are warranted for five (5) years. Standard Hardware Plus hardware components are warranted for as long as the original purchaser owns the home.

Springs

Richards-Wilcox warrants all spring assemblies used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for a period of five (5) years from the date of delivery to the original purchaser.

Glass

Richards-Wilcox warrants its sealed glass windows for five years from the time of purchase against the formation of condensation within the sealed unit. Richards-Wilcox will only replace the windows if there is a seal failure. Broken or cracked glass is not covered by any warranty. This warranty does not cover windows or window parts that have been removed from an initial installation and reinstalled in any structure.

Painting

Your Richards-Wilcox residential garage door is already protected with a long-lasting finish. No additional painting is required. R-W will not warrant any instances of rust, blistering or delamination if third-party paint is applied after purchase.

For more warranty information please see rwdoors.com.

Design-A-Door



Build the perfect garage door for your home

Create a rendering of your garage door in minutes with our Design-a-Door tool. Choose from a wide range of styles, colours, and accessories to perfectly complement your home's aesthetic. Once your design is complete, simply request a quote from one of our authorized professional installing dealers.

Visit rwdoors.com to begin designing!

Richards-Wilcox®
Garage Doors

SINCE 1912

LANDMARK™ SERIES

For additional information and friendly advice, please contact your local Richards-Wilcox® dealer.

Professionally installed and serviced by:

5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5
Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037
rwdoors.com

Updated October 2026 ▪ Part # 1-0200-BLM14SHYE